

=> s 12

L3 2 L2

=> d 1-2 bib abs hitstr

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2005:638846 CAPLUS

DN 143:153295

TI Preparation of diarylmethylidenylpiperidines for the management of pain

IN Brown, William; Griffin, Andrew; Walpole, Christopher

PA Astrazeneca AB, Swed.

SO PCT Int. Appl., 56 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005066128	A1	20050721	WO 2005-SE13	20050105
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2005204009	A1	20050721	AU 2005-204009	20050105
	CA 2552850	A1	20050721	CA 2005-2552850	20050105
	EP 1706380	A1	20061004	EP 2005-704687	20050105
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, HR, IS				
	CN 1926105	A	20070307	CN 2005-80006251	20050105
	BR 2005006707	A	20070502	BR 2005-6707	20050105
	JP 2007517872	T	20070705	JP 2006-549189	20050105
	IN 2006DN03735	A	20070420	IN 2006-DN3735	20060629
	MX 2006PA07662	A	20060904	MX 2006-PA7662	20060703
	NO 2006003617	A	20061009	NO 2006-3617	20060809
PRAI	SE 2004-25	A	20040109		
	WO 2005-SE13	W	20050105		
OS	CASREACT 143:153295; MARPAT 143:153295				
GI					

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [R1 = (un)substituted aryl, heteroaryl; R2 = alkyl, H; R3 = H, COR4, SO2R4, etc.; R4 = H, alkyl, alkenyl, etc.] and their pharmaceutically acceptable salts were prepared For example, N-acetylation of aniline II (R2 = H) with acetic anhydride afforded the TFA salt of diarylmethylidenylpiperidine II (R2 = COCH3) in 100% yield. In human

δ receptor assays, certain examples of compds. I exhibited IC50 values ranging from 0.22-2.34 nM, with an average of 0.98 nM (sic).


IT 859911-50-5P, 4-[(1-Benzylpiperidin-4-ylidene)[4-[(methylsulfonyl)amino]phenyl]methyl]-N,N-diethylbenzamide
859911-51-6P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of diarylmethylidenylpiperidines for the management of pain)
RN 859911-50-5 CAPLUS
CN Benzamide, N,N-diethyl-4-[[4-[(methylsulfonyl)amino]phenyl][1-(phenylmethyl)-4-piperidinyldiene]methyl]- (CA INDEX NAME)



RN 859911-51-6 CAPLUS
CN Benzamide, N,N-diethyl-4-[[4-[(methylsulfonyl)amino]phenyl][1-(phenylmethyl)-4-piperidinyldiene]methyl]-, 2,2,2-trifluoroacetate (1:1)
(CA INDEX NAME)


CM 1

CRN 859911-50-5
CMF C31 H37 N3 O3 S



CM 2

CRN 76-05-1
CMF C2 H F3 O2



RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
AN 2004:606467 CAPLUS
DN 141:157038
TI Preparation of 4-[3-(sulfonylamino)phenyl-1-(cyclylmethyl)piperidin-4-ylidenemethyl]benazmid derivatives as delta opioid receptor ligands
IN Brown, William; Griffin, Andrew; Walpole, Christopher
PA Astrazeneca Ab, Swed.; Astrazeneca UK Limited
SO PCT Int. Appl., 54 pp.
CODEN: PIXXD2

DT Patent
LA English

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004063193	A1	20040729	WO 2004-GB61	20040113
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ				
	EP 1590346	A1	20051102	EP 2004-701628	20040113
	EP 1590346	B1	20061025		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2006515352	T	20060525	JP 2006-500189	20040113
	AT 343571	T	20061115	AT 2004-701628	20040113
	ES 2274415	T3	20070516	ES 2004-701628	20040113
	US 20060148850	A1	20060706	US 2005-541664	20050707
PRAI	SE 2003-104	A	20030116		
	WO 2004-GB61	W	20040113		
OS	MARPAT 141:157038				
GI					

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [R1 = aryl, heteroaryl, etc.; R2-5 = H, alkyl, cycloalkyl, etc.] are prepared For instance, 4-[bromo(4-carboxyphenyl)methylen]piperidine-1-carboxylic acid tert-Bu ester (preparation given) is converted to the diethylamide (CH₂Cl₂, i-BuO₂CCl, HNEt₂), deprotected (CH₂Cl₂, TFA), alkylated with thiophene-2-carboxaldehyde (1,2-dichloroethane, NaHB(OAc)₃), coupled to m-aminobenzenboronic acid (PhMe/EtOH/H₂O, Pd(PPh₃)₄, Na₂CO₃) and finally treated with methanesulfonic anhydride to give II. Compds. of the invention have IC₅₀ in the range of 0.18 - 0.56 nM for the δ-opioid receptor. I are useful in the management of

pain.


IT 728917-19-9P, N,N-Diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(thien-2-ylmethyl)piperidin-4-ylidene]methyl]benzamide
728917-20-2P 728917-21-3P 728917-22-4P,
N,N-Diethyl-4-[[1-(2-furanylmethyl)-4-piperidinylidene][3-[(methylsulfonyl)amino]phenyl]methyl]benzamide 728917-23-5P,
N,N-Diethyl-4-[[1-(phenylmethyl)-4-piperidinylidene][3-[(methylsulfonyl)amino]phenyl]methyl]benzamide 728917-24-6P
728917-25-7P, N,N-Diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(3-pyridinylmethyl)-4-piperidinylidene]methyl]benzamide
728917-26-8P 728917-30-4P 728917-31-5P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 4-[3-(sulfonylamino)phenyl-1-(cyclylmethyl)piperidin-4-ylidenemethyl]benazmid derivs. as delta opioid receptor ligands)
RN 728917-19-9 CAPLUS
CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(2-thienylmethyl)-4-piperidinylidene]methyl]- (CA INDEX NAME)



RN 728917-20-2 CAPLUS
CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(2-thienylmethyl)-4-piperidinylidene]methyl]-, 2,2,2-trifluoroacetate (2:3) (CA INDEX NAME)

CM 1


CRN 728917-19-9
CMF C29 H35 N3 O3 S2



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 728917-21-3 CAPLUS

CN Benzamide, N,N-diethyl-4-[[1-(2-furanylmethyl)-4-piperidinyldene][3-[(methylsulfonyl)amino]phenyl]methyl]-, hydrochloride (5:6) (CA INDEX NAME)



● 6/5 HCl


RN 728917-22-4 CAPLUS

CN Benzamide, N,N-diethyl-4-[[1-(2-furanylmethyl)-4-piperidinyldene][3-[(methylsulfonyl)amino]phenyl]methyl]- (CA INDEX NAME)

CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 728917-25-7 CAPLUS

CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(3-pyridinylmethyl)-4-piperidinylidene]methyl]- (CA INDEX NAME)




RN 728917-26-8 CAPLUS

CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(3-pyridinylmethyl)-4-piperidinylidene]methyl]-, 2,2,2-trifluoroacetate (2:5) (CA INDEX NAME)

CM 1

CRN 728917-25-7


CMF C30 H36 N4 O3 S



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 728917-30-4 CAPLUS

CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(2-thiazolylmethyl)-4-piperidinylidene]methyl]- (CA INDEX NAME)




RN 728917-31-5 CAPLUS

CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][1-(2-thiazolylmethyl)-4-piperidinylidene]methyl]-, 2,2,2-trifluoroacetate (2:5)
(CA INDEX NAME)

CM 1

CRN 728917-30-4


CMF C28 H34 N4 O3 S2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



=> dis his

(FILE 'CAPLUS' ENTERED AT 07:35:22 ON 27 MAY 2008)
DEL HIS Y

FILE 'REGISTRY' ENTERED AT 07:38:33 ON 27 MAY 2008
L1 STRUCTURE UPLOADED
L2 12 S L1 FUL

FILE 'CAPLUS' ENTERED AT 07:41:54 ON 27 MAY 2008
L3 2 S L2